


**H. N. Dodia & Sons**  
H. N. DODIA & SONS



**Unlimited**  
*Cutting & Bending Solution*



 **DODIYA**  
MACHINERY



# "C" Type Power Press

Fixed & Inclinable

# "H" Type Power Press




### SPECIFICATION

| Description         | 5 Tons  | 10Ton   | 20 Tons | 30 Tons | 50 Tons | 75 Tons | 100 Tons | 150 Tons | 200 Tons | 250 TON  |
|---------------------|---------|---------|---------|---------|---------|---------|----------|----------|----------|----------|
| Crank Shaft DIA.    | 50      | 55      | 65      | 75      | 90      | 110     | 125      | 150      | 170      | 165      |
| Stroke Adjustment   | 5.25    | 6.50    | 6.65    | 5.75    | 10.100  | 10.102  | 10.115   | 13.125   | 12.125   | 165      |
| Hole in RAM         | 25      | 25      | 32      | 35      | 50      | 55      | 55       | 55       | 60       | 60       |
| Hole in BED         | 60      | 75      | 85      | 90      | 102     | 125     | 125      | 150      | 150      | 229      |
| Length & Width BED  | 300x175 | 250x400 | 300x450 | 500x350 | 610x406 | 710x450 | 810x500  | 915x600  | 1000x650 | 1067x779 |
| Dist BED to RAM     | 125     | 200     | 225     | 250     | 275     | 330     | 385      | 400      | 400      | 544      |
| Fly Wheel DIA       | 350     | 406     | 505     | 558     | 660     | 825     | 865      | 915      | 1000     | 1320     |
| Stroke Per Minute   | 80      | 65      | 60      | 60      | 50      | 50      | 40       | 30       | 25       | 30       |
| H.P. Reqd.          | 0.5     | 1       | 2       | 3       | 5       | 7.5     | 10       | 15       | 20       | 25       |
| Weight Approx       | 260     | 450     | 850     | 1000    | 2000    | 3500    | 4500     | 5500     | 6500     | 11500    |
| Floor to Top of BED | 650     | 686     | 762     | 813     | 813     | 813     | 813      | 813      | 815      | 850      |

All dimensions are in mm.

As day to day improvements are contemplated for better performance of the machine. We reserve the rights to alter the specifications without prior nutr\*

# Hydraulic Shearing Machine



## SPECIFICATION

| MODEL    | Cutting Length | SH. THICKNESS    |                  |                  |                  | STD. RAKE ANGLE | RAKE ANGLE RANGE | STROKES /MINUTE AT MIN. & MAX. RAKE ANGLE | Hold Downs | Holding Force Moulding | Motor H.P. | PACKING DIMENSION MM (L X w x h) | APPROX. WEIGHT KGS. |
|----------|----------------|------------------|------------------|------------------|------------------|-----------------|------------------|---|------------|------------------------|------------|----------------------------------|---------------------|
|          |                | M.S.             |                  | S.S.             |                  |                 |                  |   |            |                        |            |                                  |                     |
|          |                | MINI. RAKE ANGLE | MAXI. RAKE ANGLE | MINI. RAKE ANGLE | MAXI. RAKE ANGLE |                 |                  |   |            |                        |            |                                  |                     |
| DHSM325  | 2500           | 3.15             | 4                | 2                | 3                | 1°15            | 0.5-2°           | 28-13                                     | 13         | 2500                   | 5          | 3200 X 1850 X 1950               | 3500                |
| DHSM330  | 3000           | 3.15             | 4                | 2                | 3                | 1°15            | 0.5-2°           | 24-9                                      | 16         | 2500                   | 5          | 3700 X 1850 X 1950               | 4000                |
| DHSM412  | 1250           | 4                | 6                | 3                | 4                | 1°37            | 0.5-3°           | 33-17                                     | 5          | 4000                   | 5          | 2000 X 1550 X 2050               | 2700                |
| DHSM415  | 1500           | 4                | 6                | 3                | 4                | 1°37            | 0.5-3°           | 30-15                                     | 8          | 4500                   | 5          | 2250 X 1850 X 2050               | 3200                |
| DHSM420  | 2000           | 4                | 6                | 3                | 4                | 1°37            | 0.5-3°           | 28-13                                     | 11         | 6200                   | 7.5        | 2750 X 1850 X 2050               | 3500                |
| DHSM425  | 2500           | 4                | 6                | 3                | 4                | 1°37            | 0.5-3°           | 26-8                                      | 13         | 8000                   | 7.5        | 3300 X 2250 X 2400               | 5000                |
| DHSM430  | 3000           | 4                | 6                | 3                | 4                | 1°37            | 0.5-3°           | 24-6                                      | 16         | 10000                  | 10         | 3700 X 2250 X 2400               | 6000                |
| DHSM440  | 4000           | 4                | 6                | 3                | 4                | 1°45            | 0.5-3°           | 22-6                                      | 20         | 12000                  | 10         | 4500 X 2250 X 2400               | 8100                |
| DHSM615  | 1500           | 6                | 8                | 4                | 6                | 1°45            | 0.5-3°           | 24-8                                      | 8          | 6500                   | 10         | 2250 X 1900 X 2100               | 4000                |
| DHSM620  | 2000           | 6                | 8                | 4                | 6                | 1°45            | 0.5-3°           | 22-7                                      | 11         | 6500                   | 10         | 2750 X 1900 X 2100               | 4300                |
| DHSM625  | 2500           | 6                | 8                | 4                | 6                | 1°45            | 0.5-3°           | 28-8                                      | 13         | 8500                   | 15         | 3300 X 2250 X 2500               | 6000                |
| DHSM630  | 3000           | 6                | 8                | 4                | 6                | 1°45            | 0.5-3°           | 24-6                                      | 16         | 10800                  | 15         | 3800 X 2250 X 2500               | 6500                |
| DHSM640  | 4000           | 6                | 8                | 4                | 6                | 2°              | 0.5-3°           | 24-6                                      | 20         | 13600                  | 20         | 4800 X 2250 X 2500               | 8200                |
| DHSM815  | 1500           | 8                | 10               | 6                | 8                | 2°              | 0.5-3°           | 22-10                                     | 8          | 10500                  | 15         | 2250 X 2050 X 2200               | 5200                |
| DHSM820  | 2000           | 8                | 10               | 6                | 8                | 2°              | 0.5-3°           | 18-8                                      | 11         | 12000                  | 15         | 2750 X 2050 X 2200               | 6000                |
| DHSM825  | 2500           | 8                | 10               | 6                | 8                | 2°              | 0.5-3°           | 24-8                                      | 13         | 16500                  | 20         | 3300 X 2350 X 2600               | 7500                |
| DHSM830  | 3000           | 8                | 10               | 6                | 8                | 2°              | 0.5-3°           | 20-6                                      | 16         | 18500                  | 20         | 3800 X 2350 X 2600               | 9000                |
| DHSM840  | 4000           | 8                | 10               | 6                | 8                | 2°              | 0.5-3°           | 20-8                                      | 20         | 23000                  | 25         | 4800 X 2350 X 2600               | 12500               |
| DHSM1015 | 1500           | 10               | 13               | 8                | 10               | 2°              | 0.5-3°           | 20-10                                     | 8          | 10500                  | 15         | 2250 X 2050 X 2300               | 6000                |
| DHSM1020 | 2000           | 10               | 13               | 8                | 10               | 2°              | 0.5-3°           | 18-8                                      | 11         | 13000                  | 15         | 2750 X 2050 X 2300               | 7000                |
| DHSM1025 | 2500           | 10               | 13               | 8                | 10               | 2°              | 0.5-3°           | 24-8                                      | 13         | 17500                  | 20         | 3300 X 2500 X 2800               | 9000                |
| DHSM1030 | 3000           | 10               | 13               | 8                | 10               | 2°              | 0.5-3°           | 20-6                                      | 16         | 20000                  | 20         | 3800 X 2500 X 2800               | 11500               |
| DHSM1040 | 4000           | 10               | 13               | 8                | 10               | 2°              | 0.5-3°           | 18-6                                      | 20         | 25000                  | 30         | 4800 X 2500 X 2800               | 15000               |
| DHSM1320 | 2000           | 13               | 16               | 10               | 13               | 2°              | 0.5-3°           | 13-5                                      | 11         | 16500                  | 20         | 2750 X 2200 X 2500               | 7000                |
| DHSM1325 | 2500           | 13               | 16               | 10               | 13               | 2°              | 0.5-3°           | 15-10                                     | 13         | 32000                  | 25         | 3350 X 2600 X 2800               | 9000                |
| DHSM1330 | 3000           | 13               | 16               | 10               | 13               | 2°              | 0.5-3°           | 12-6                                      | 16         | 37000                  | 25         | 3800 X 2600 X 2800               | 12000               |
| DHSM1340 | 4000           | 13               | 16               | 10               | 13               | 2°              | 0.5-3°           | 10-4                                      | 20         | 22000                  | 30         | 4850 X 2200 X 2800               | 15500               |
| DHSM1620 | 200            | 16               | 20               | 13               | 16               | 2°              | 0.5-3°           | 13-7                                      | 11         | 22000                  | 25         | 2750 X 2200 X 2600               | 12000               |
| DHSM1625 | 2500           | 16               | 20               | 13               | 16               | 2°              | 0.5-3°           | 15-8                                      | 13         | 40000                  | 30         | 3500 X 2600 X 2900               | 15000               |
| DHSM1630 | 3000           | 16               | 20               | 13               | 16               | 2°              | 0.5-3°           | 12-6                                      | 16         | 43500                  | 30         | 4000 X 2600 X 2900               | 17000               |
| DHSM1640 | 4000           | 16               | 20               | 13               | 16               | 2°              | 0.5-3°           | 10-4                                      | 20         | 30000                  | 30         | 5100 X 2750 X 2900               | 20000               |
| DHSM2020 | 2000           | 20               | 25               | 16               | 20               | 2°              | 0.5-3°           | 16-8                                      | 11         | 32000                  | 40         | 2900 X 2500 X 2600               | 17000               |
| DHSM2025 | 2500           | 20               | 25               | 16               | 20               | 2°              | 0.5-3°           | 15-8                                      | 13         | 48000                  | 40         | 3500 X 2750 X 3000               | 18000               |
| DHSM2030 | 3000           | 20               | 25               | 16               | 20               | 2°              | 0.5-3°           | 12-6                                      | 16         | 52000                  | 40         | 4000 X 2750 X 3000               | 20000               |
| DHSM2040 | 4000           | 20               | 25               | 16               | 20               | 2°              | 0.5-3°           | 10-4                                      | 20         | 30000                  | 50         | 5100 X 2800 X 3000               | 24000               |

FIXED RAKE HYDRAULIC SHEARS. RER SERIES. CAP - 1mm 2mm WIDTH - 1250 to 3000mm

|         |      |   |     |     |      |    |   |                    |      |    |
|---------|------|---|-----|-----|------|----|---|--------------------|------|----|
| DFR 125 | 2500 | 1 | 0.5 | 0.5 | HYD. | 20 | 2 | 2900 X 1250 X 1250 | 2400 | 70 |
| DFR 212 | 1250 | 2 | 1   | 1   | HYD. | 28 | 3 | 1650 X 1250 X 1250 | 1500 | 60 |
| DFR 215 | 1500 | 2 | 1   | 1   | HYD. | 25 | 3 | 1950 X 1250 X 1250 | 1800 | 60 |
| DFR 220 | 2000 | 2 | 1   | 1   | HYD. | 22 | 3 | 2400 X 1250 X 1250 | 2100 | 70 |
| DFR 225 | 2500 | 2 | 1   | 1   | HYD. | 18 | 3 | 2900 X 1250 X 1250 | 2600 | 70 |
| DFR 230 | 3000 | 2 | 1   | 1   | HYD. | 15 | 3 | 3400 X 1250 X 1250 | 3000 | 70 |




# Over Crank Shearing Machine



## SPECIFICATION

| Mobel No.                  | DOS-1   | DOS-2  | DOS-3  | DOS-4  | DOS-5   | DOS-6    | DOS-7    | DOS-8   | DOS-9  | DOS-10  | DOS-11  | DOS-12  | DOS-13  | DOS-14  | DOS-15  |
|----------------------------|---------|--------|--------|--------|---------|----------|----------|---------|--------|---------|---------|---------|---------|---------|---------|
| DESCRIPTION                | 1270x6  | 1525x6 | 2030x6 | 2540x6 | 3125x6  | 1525x8   | 2030x8   | 2540x8  | 3125x8 | 2030x10 | 2540X10 | 3125X10 | 2030X13 | 2540X13 | 3125X13 |
| Cutting Cap. Thick Of M.S. | 6.0     | 6.0    | 6.0    | 6.0    | 6.0     | 8.0      | 8.0      | 8.0     | 8.0    | 10.0    | 10.0    | 10.0    | 13.0    | 13.0    | 13.0    |
| Cutting Length             | 1270    | 1525   | 2030   | 2540   | 3125    | 1525     | 2030     | 2540    | 3125   | 2030    | 2540    | 3125    | 2030    | 2540    | 3125    |
| Standard Rear Gauge        | 1000    | 1000   | 1000   | 1000   | 1000    | 1000     | 1000     | 1000    | 1000   | 1000    | 1000    | 1000    | 1000    | 1000    | 1000    |
| Table Height               | 850     | 850    | 850    | 850    | 850     | 850      | 850      | 850     | 850    | 850     | 850     | 850     | 850     | 850     | 850     |
| Table Width                | 500     | 500    | 500    | 500    | 500     | 500      | 500      | 500     | 500    | 500     | 500     | 500     | 500     | 500     | 500     |
| Blade Length               | 1270    | 1525   | 2030   | 2540   | 3125    | 1525     | 2030     | 2540    | 3125   | 2030    | 2540    | 3125    | 2030    | 2540    | 3125    |
| Stroke Per Minute          | 30      | 30     | 25     | 25     | 25      | 25       | 25       | 25      | 25     | 25      | 20      | 20      | 25      | 20      | 20      |
| Main Motor HP/KW           | 7.5/5.6 | 10/7.7 | 10/7.7 | 12/9.7 | 15/11.2 | 12.5/9.7 | 12.5/9.7 | 15/11.2 | 20/15  | 15/11.2 | 20/15   | 25/18.7 | 20/15   | 25/18.7 | 30/22.5 |


# Under Crank Shearing Machine



## SPECIFICATION

| Model No.                  | DUS-1    | DUS-2    | DUS-3    | DUS-4    | DUS-5    | DUS-6    | DUS-7    | DUS-8    | DUS-9    | DUS-10   |
|----------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| DESCRIPTION                | 1270 x 2 | 1525 x 2 | 2030 x 2 | 2540 x 2 | 3125 x 2 | 1270 x 4 | 1525 x 4 | 2030 x 4 | 2540 x 4 | 3125 x 4 |
| Cutting Cap. Thick Of M.S. | 2.0      | 2.0      | 2.0      | 2.0      | 2.0      | 4.0      | 4.0      | 4.0      | 4.0      | 4.0      |
| Cutting Cap. Length        | 1270     | 1525     | 2030     | 2540     | 3125     | 1270     | 1525     | 2030     | 2540     | 3125     |
| Depth of Throat            | 100      | 100      | 100      | 100      | 100      | 100      | 100      | 100      | 100      | 100      |
| Standard Front Gauge       | 900      | 900      | 900      | 900      | 900      | 750      | 750      | 750      | 750      | 750      |
| Standard Rear Gauge        | 750      | 750      | 750      | 750      | 750      | 1000     | 1000     | 1000     | 1000     | 1000     |
| Table Height               | 850      | 850      | 850      | 850      | 850      | 850      | 850      | 850      | 850      | 850      |
| Table Width                | 425      | 425      | 425      | 425      | 425      | 450      | 450      | 450      | 450      | 450      |
| Blade Length               | 1270     | 1525     | 2030     | 2540     | 3125     | 1270     | 1525     | 2030     | 2540     | 3125     |
| Blade Width                | 50       | 50       | 50       | 50       | 50       | 63       | 63       | 63       | 63       | 63       |
| Blade Thickness            | 12       | 12       | 12       | 12       | 12       | 18       | 18       | 18       | 18       | 18       |
| Stroke Per Minute          | 60       | 60       | 60       | 50       | 50       | 60       | 60       | 50       | 50       | 50       |
| Hold Down To Knife Edge    | 20       | 20       | 20       | 20       | 20       | 25       | 25       | 25       | 25       | 25       |
| Machine Length             | 2150     | 2450     | 2900     | 3450     | 4150     | 2300     | 2500     | 3000     | 3550     | 4200     |
| Machine Width              | 1450     | 1450     | 1450     | 1450     | 1525     | 1525     | 1525     | 1700     | 1700     | 1850     |
| Machine Height             | 1275     | 1275     | 1375     | 1375     | 1400     | 1320     | 1320     | 1425     | 1425     | 1500     |
| Main Motor HP/KW           | 2/1.5    | 3/2.2    | 5/3.7    | 5/3.7    | 7.5/5.6  | 5/3.7    | 5/3.7    | 7.5/5.6  | 7.5/5.6  | 10/7.5   |
| Weight Approx.             | 1800     | 2050     | 2600     | 3350     | 4100     | 2350     | 2750     | 3250     | 4200     | 5300     |

# Hydraulic Press Break Machine




## SPECIFICATION

| MODEL     | TONNAGE | TABLE LENGTH | HYDRAULIC PRESS BENDING CAPACITY<br>(In M.S. UTS 450Kg./mm <sup>2</sup><br>mm) |         | TABLE WIDTH (mm) | CLEAR PASS<br>mm | RAM STROKE<br>mm | OPEN HEIGHT<br>mm | THROAT DEPTH<br>mm | SPEED APPROACH PRESSING<br>RETURN | POWER (hp) | PACKING DIMENSION<br>(L X W x H) | WEIGHT |
|-----------|---------|--------------|--|---------|------------------|------------------|------------------|-------------------|--------------------|-----------------------------------|------------|----------------------------------|--------|
| DHPB 215  | 20      | 1500         | 1.6X1500   | 2X1250  | 150              | 1060             | 100              | 250               | 100                | 35-9-35                           | 2          | 1700 X 15050 X 1900              | 1500   |
| DHPB 320  | 30      | 2000         | 2 x2000  | 3x1250  | 150              | 1550             | 100              | 250               | 200                | 30-7-30                           | 3          | 2200 x 1150 x 1900               | 2500   |
| DHPB 425  | 40      | 2500         | 2 x2500  | 3x1500  | 150              | 2055             | 100              | 250               | 200                | 40-840                            | 3          | 2700 x 1150 x 1900               | 3000   |
| DHPB 515  | 50      | 1500         | 4X1500   | 5X1250  | 190              | 1050             | 100              | 250               | 200                | 35-7-35                           | 5          | 1700 x 1050 x 1900               | 2500   |
| DHPB 520  | 50      | 2000         | 3 x2000  | 4x1500  | 190              | 1550             | 100              | 250               | 200                | 35-7-35                           | 5          | 2200 x 1050 x 1900               | 3200   |
| DHPB 525  | 50      | 2500         | 2.5x2500   | 3x2000  | 190              | 2055             | 100              | 250               | 200                | 30-5-30                           | 5          | 2700 x 1050 x 1900               | 3500   |
| DHPB 625  | 65      | 2500         | 2 x2000  | 3x1250  | 190              | 2055             | 150              | 330               | 200                | 30-5-30                           | 5          | 2700 x 1200 x 2000               | 3700   |
| DHPB 630  | 65      | 3000         | 3 x2500  | 4x2000  | 190              | 2540             | 150              | 330               | 200                | 38-6-45                           | 5          | 3350 x 1200 x 2000               | 4300   |
| DHPB 825  | 80      | 2500         | 4 x2500  | 5x2000  | 190              | 2055             | 150              | 330               | 200                | 38-6-45                           | 7.5        | 2700 x 1550 x 2300               | 4500   |
| DHPB 830  | 80      | 3000         | 3 x3000  | 4x2500  | 190              | 2540             | 150              | 330               | 200                | 38-6-45                           | 7.5        | 3350 x 1550 x 2300               | 5000   |
| DHPB 1025 | 100     | 2500         | 5x2500   | 6x2000  | 190              | 2055             | 150              | 330               | 200                | 38-6-45                           | 7.5        | 2700 x 1550 x 2300               | 5400   |
| DHPB 1030 | 100     | 3000         | 4x3000   | 5x2500  | 190              | 2540             | 150              | 330               | 200                | 38-6-45                           | 7.5        | 3350 x 1650 x 2500               | 6200   |
| DHPB 1040 | 100     | 4000         | 3x4000   | 4x3000  | 190              | 3250             | 150              | 330               | 200                | 38-6-45                           | 7.5        | 4250 x 1650 x 2300               | 7000   |
| DHPB 1225 | 125     | 2500         | 6x2500   | 8x2000  | 250              | 2055             | 150              | 350               | 300                | 38-5-40                           | 10         | 2750 x 1650 x 2500               | 7000   |
| DHPB 1230 | 25      | 3000         | 5x3000   | 6x2500  | 250              | 2540             | 150              | 350               | 300                | 38-5-40                           | 10         | 4200 x 1650 x 2500               | 8300   |
| DHPB 1240 | 125     | 4000         | 4x4000   | 5x3000  | 250              | 3250             | 150              | 350               | 300                | 38-5-40                           | 10         | 4200 x 1650 x 2500               | 8300   |
| DHPB 1625 | 160     | 2500         | 8x2500   | 10x2000 | 230              | 2055             | 150              | 350               | 300                | 35-6-40                           | 15         | 2750 x 1800 x 2600               | 8200   |
| DHPB 1630 | 160     | 3000         | 6x3000   | 8x2500  | 230              | 2540             | 150              | 350               | 300                | 35-6-40                           | 15         | 3350 x 1800 x 2600               | 8800   |
| DHPB 1640 | 160     | 4000         | 5x4000   | 6x3000  | 230              | 3100             | 150              | 350               | 300                | 35-6-40                           | 15         | 4350 x 2050 x 2750               | 9800   |
| DHPB 2025 | 200     | 2500         | 10x2500  | 12x2000 | 230              | 2055             | 200              | 400               | 300                | 35-7-35                           | 20         | 2850 x 2050 x 2750               | 9500   |
| DHPB 2030 | 200     | 3000         | 8x3000   | 10x2500 | 230              | 2540             | 200              | 400               | 300                | 35-7-35                           | 20         | 3350 x 2050 x 2750               | 10500  |
| DHPB 2040 | 200     | 4000         | 6x4000   | 8x3000  | 230              | 3100             | 200              | 400               | 300                | 35-7-35                           | 20         | 4350 x 2050 x 2750               | 12500  |
| DHPB 2530 | 250     | 3000         | 10x3000  | 12x2500 | 300              | 2540             | 200              | 400               | 300                | 35-6-40                           | 25         | 3350 x 2100 x 2800               | 12000  |
| DHPB 2540 | 250     | 4000         | 8x4000   | 10x3000 | 300              | 3100             | 200              | 400               | 300                | 35-6-40                           | 25         | 4350 x 2100 x 2800               | 13500  |
| DHPB 3030 | 300     | 3000         | 12x3000  | 15x2500 | 300              | 2540             | 200              | 400               | 300                | 30-6-35                           | 30         | 3350 x 2150 x 2900               | 12000  |
| DHPB 3040 | 300     | 4000         | 10x4000  | 12x3000 | 300              | 3100             | 200              | 400               | 300                | 30-6-35                           | 30         | 4350 x 2150 x 2900               | 15000  |
| DHPB 4030 | 400     | 3000         | 16x3000  | 20X2500 | 300              | 2540             | 250              | 500               | 350                | 30-5-35                           | 40         | 3350 x 2200 x 3000               | 18000  |
| DHPB 4040 | 400     | 4000         | 12x4000  | 16x3000 | 300              | 3100             | 250              | 500               | 350                | 30-5-35                           | 40         | 4350 x 2200 x 3000               | 19500  |

# Hydraulic Press Machine


(As Per Your Requirement)



# Nibbling Machine



# Plate bending Machine



## SPECIFICATION

### MACHINE APPLICATION & USEGE:

- >> Boiler Tank , Air Conditioning Channels, Sheet Metal Cover
- >> Cone Making & other Aluminum & Steel Fabrication, Marine & Ship Building, Pressure Vassals, Wind Mills

| MODEL TYPE | WORKING LENGTH MM | TOP ROLL MM | PREBENDING CAPACITY MM | BOTTOM ROLL MM | MOTOR HP |
|------------|-------------------|-------------|------------------------|----------------|----------|
| DPB - 1    | 1250 X 3          | 100         | 1                      | 90             | 2        |
| DPB - 2    | 1250 X 6          | 125         | 3                      | 105            | 3        |
| DPB - 3    | 1250 X 10         | 150         | 6                      | 125            | 5        |
| DPB - 4    | 1250 X 12         | 175         | 8                      | 140            | 7.5      |
| DPB - 5    | 1250 X 16         | 190         | 10                     | 150            | 7.5      |
| DPB - 6    | 1250 X 20         | 200         | 12                     | 160            | 10       |
| DPB - 7    | 1250 X 25         | 240         | 16                     | 200            | 15       |
| DPB - 8    | 1500 X 3          | 115         | 1                      | 100            | 3        |
| DPB - 9    | 1500 X 6          | 140         | 3                      | 115            | 5        |
| DPB - 10   | 1500 X 10         | 160         | 6                      | 135            | 7.5      |
| DPB - 11   | 1500 X 12         | 180         | 8                      | 150            | 7.5      |
| DPB - 12   | 1500 X 16         | 200         | 10                     | 160            | 10       |
| DPB - 13   | 1500 X 20         | 215         | 12                     | 170            | 12.5     |
| DPB - 14   | 1500 X 25         | 250         | 16                     | 215            | 20       |
| DPB - 15   | 2000 X 6          | 160         | 3                      | 135            | 5        |
| DPB - 16   | 2000 X 10         | 185         | 6                      | 150            | 7.5      |
| DPB - 17   | 2000 X 12         | 205         | 8                      | 160            | 10       |
| DPB - 18   | 2000 X 16         | 215         | 10                     | 175            | 12.5     |
| DPB - 19   | 2000 X 20         | 230         | 12                     | 190            | 15       |
| DPB - 20   | 2000 X 25         | 275         | 16                     | 230            | 20       |
| DPB - 21   | 2500 X 6          | 175         | 3                      | 150            | 7.5      |
| DPB - 22   | 2500 X 10         | 200         | 6                      | 170            | 10       |
| DPB - 23   | 2500 X 12         | 230         | 8                      | 180            | 15       |
| DPB - 24   | 2500 X 16         | 240         | 10                     | 200            | 20       |
| DPB - 25   | 2500 X 20         | 260         | 12                     | 215            | 20       |
| DPB - 26   | 2500 X 25         | 300         | 16                     | 260            | 30       |
| DPB - 27   | 3000 X 10         | 240         | 6                      | 200            | 15       |
| DPB - 28   | 3000 X 12         | 260         | 8                      | 220            | 20       |
| DPB - 29   | 3000 X 16         | 275         | 10                     | 225            | 20       |

### Technical Features :

- >> Bottom roll are fixed and driven by Gears and worm Reduction Gear Box. Top Roll rotates in fixed positions and can be adjusted & down manually by adjustable screws.


## Quality Policy

We at Dodiya Machinery are committed towards our customers for satisfying them in terms of quality products at most competitive price with in-time delivery.

To offer best quality products we take different measures, right from production stage to finishing stage. Finally, we ensure that the products are produced in compliance to national & international quality, standards & specifications, passing through our formulated quality parameters.

### Our Product Range

- Steel Body Heavy-duty Power Press Machine
- Steel Body Heavy-duty Shearing Machine
- Steel Body Heavy-duty Press Brake Machine
- Hydraulic Sharing Machine
- Hydraulic Press
- Nibbling Machine
- Perporated Press
- Pipe Bending Machine
- Heavy-duty Deeding Plant
- Heavy-duty Slitting Plant
- Steel Body Heavy-duty Plate Straightening Machine
- Tube Light Patti Plant
- Roll Forming Machine
- Transformer Lamination Plant



# DODIYA MACHINERY

46, Nagarwel Industrial Estate, Nagarwel Hanuman Road, Rakhial, AHMEDABAD - 380 023  
(Gujarat) INDIA Mo : +91 9426387118, +91 9924138110.

E-mail: [dodiamachinery@yahoo.com](mailto:dodiamachinery@yahoo.com) Web : [www.dodiamachinery.com](http://www.dodiamachinery.com)